



# Catalog 2022

**固力坚**  
**SOLIDPACK**

**BEIJING SOLID PACKING  
MACHINERY CO., LTD**



**固力坚**  
**SOLIDPACK**

ADD: Plant No 6, No.77 Fuyuan Road, Wuqing Development Area, Tianjin City, China.

Web: [www.solidpack.en.alibaba.com](http://www.solidpack.en.alibaba.com)

E-mail: [info@solidpackcn.com](mailto:info@solidpackcn.com)

Tel: 0086-17602668015

Wechat/Whatsapp: 0086-17602668015



## COMPANY PROFILE

Our company is a professional manufacturer of all kinds of packing machines, including: filling machines, capping machines, labeling machines etc.

We supply all kinds of bottle packing machines for food industry, chemical industry, pharmacy industry, etc.

Our company has been established for ten years. We are good at designing and tailor-making products. Solid pack makes more perfect packing, and more efficient production!



## CORPORATE CULTURE

Reputation first, users first, is our belief.

High standards and refinement are our criteria for making machines.

The professional R&D team customizes high-quality and high-efficiency machines for customers. Thoughtful after-sales service to solve your doubts.



## SERVICE IDEA

Pioneering and innovative, based on market demand. High quality and high efficiency to meet customer requirements



*Our Customers Are All Over The World*



USA



UK



Canada



Australia



Ukraine



Mexico



Holland



Poland



South Africa



Indonesia



South Korea



Malaysia




Vietnam



Saudi Arabia



DETAILED IMAGES



INTRODUCTION:

This bottle unscrambler is a dynamic worktable with frequency control. The machine is used as a buffer platform applying for intermediate junction of assembly line to reduce the length of conveyor. Both the range of bottle and the speed can be adjusted freely, which is benefit for the production. The operating procedures: put bottles on round turntable, then turntable rotate to push bottles into conveying belt. It is suitable for all kinds round plastic or glass or metal bottles, jars and cans etc.

PARAMETERS:

Diameter	800mm	1000mm	1200mm	1500mm
Material	SUS304			
Suitable bottle volume	5-3000ml			
Suitable bottle diameter	10-250mm			
Feeding speed	60-120 bottles/min (Speed adjustable, also with relationship of bottle size)			
Power	220/380V 50/60Hz 0.1Kw (also can customized made)			
Dimension	L1000*W1000* H1000mm	L1200*W1200* H1000mm	L1400*W1400* H1000mm	L1700*W1700* H1000mm
Weight	100Kg	120Kg	150Kg	200Kg




Scan to see our machine working videos



Scan to view more about our products



## SF-PI Automatic Panasonic servo piston filling machine




### INTRODUCTION:

This machine adopts piston pump and rotary valve, suitable for filling all kinds of thick & sticky material: In food industry like edible oil, yogurt, tomato paste, chilli sauce, honey, butter, ketchup lunch meat etc. The machine can be made with 4 filling heads/ 6 filling heads/ 8 filling heads/ 10 filling heads/ 12 filling heads/ 16 filling heads/ 18 filling heads etc, according to the filling capacity customers needed.


### PARAMETERS:

Material	SUS304 and SUS316L				
Filling heads	4	6	8	10	12
Filling range	10-100ml/ 30-300ml/ 50-500ml/ 100-1000ml/ 250-2500ml/ 300-3000ml/ 500-5000ml (600-6000ml can be tailor made)				
Filling speed (bottles/ hour & based on 500ml bottle)	2000-2500	2500-3000	3000-3500	3500-4000	4000-4500
Filling precision	±0.5-1%				
Power	220/380V 50/60Hz 1.5Kw (Can be tailor made to suit different countries)				
Air pressure	0.4-0.6Mpa				
Machine size (L*W*H mm)	2000*900*2200	2400*900*2200	2800*900*2200	3200*900*2200	3500*900*2200
Weight	450Kg	500Kg	550Kg	600Kg	650Kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SF-PI Automatic Panasonic servo piston filling machine



### INTRODUCTION:


This machine adopts piston pump and rotary valve, suitable for filling all kinds of thick & sticky material: In cleaning liquid and cosmetic industry, like shampoo, liquid soap, hand sanitizer, laundry detergent, shower gel, cream, lotion, hair gel, etc.

The machine can be made with 4 filling heads/ 6 filling heads/ 8 filling heads/ 10 filling heads/ 12 filling heads/ 16 filling heads/ 18 filling heads etc, according to the filling capacity customers needed.


### PARAMETERS:

Material	SUS304 and SUS316L				
Filling heads	4	6	8	10	12
Filling range	10-100ml/ 30-300ml/ 50-500ml/ 100-1000ml/ 250-2500mm/ 300-3000ml/ 500-5000ml (600-6000ml can be tailor made)				
Filling speed <small>(bottles/ hour &amp; based on 500ml bottle)</small>	2000-2500	2500-3000	3000-3500	3500-4000	4000-4500
Filling precision	±0.5-1%				
Power	220/380V 50/60Hz 1.5Kw (Can be tailor made to suit different countries)				
Air pressure	0.4-0.6Mpa				
Machine size <small>(L*W*H mm)</small>	2000*900*2200	2400*900*2200	2800*900*2200	3200*900*2200	3500*900*2200
Weight	450Kg	500Kg	550Kg	600Kg	650Kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SF-PI Automatic Panasonic servo piston filling machine



### INTRODUCTION:


This machine adopts piston pump and rotary valve, suitable for filling all kinds of thick & sticky material: In car products industry, like motor oil, lube oil, antifreeze, brake fluid, fuel additive, screen cleaning liquid etc

The machine can be made with 4 filling heads/ 6 filling heads/ 8 filling heads/ 10 filling heads/ 12 filling heads/ 16 filling heads/ 18 filling heads etc, according to the filling capacity customers needed.


### PARAMETERS:

Material	SUS304 and SUS316L				
Filling heads	4	6	8	10	12
Filling range	10-100ml/ 30-300ml/ 50-500ml/ 100-1000ml/ 250-2500ml/ 300-3000ml/ 500-5000ml (600-6000ml can be tailor made)				
Filling speed <small>(bottles/ hour &amp; based on 500ml bottle)</small>	2000-2500	2500-3000	3000-3500	3500-4000	4000-4500
Filling precision	±0.5-1%				
Power	220/380V 50/60Hz 1.5Kw (Can be tailor made to suit different countries)				
Air pressure	0.4-0.6Mpa				
Machine size <small>(L*W*H mm)</small>	2000*900*2200	2400*900*2200	2800*900*2200	3200*900*2200	3500*900*2200
Weight	450Kg	500Kg	550Kg	600Kg	650Kg

### DETAILED IMAGES



SCAN TO LEARN MORE




Scan to see our machine working videos



Scan to view more about our products



## SF-PI Automatic Panasonic servo piston filling machine



### INTRODUCTION:

This machine adopts piston pump and rotary valve. The filling heads are diving filling heads to move together with liquid level. With the function of anti-drop and anti-drawing & bubble-kill. It suits to fill foam liquid like liquid soap, windshield washer fluid, laundry detergent etc.

The machine can be made with 4 filling heads/ 6 filling heads/ 8 filling heads/ 10 filling heads/ 12 filling heads/ 16 filling heads/ 18 filling heads etc, according to the filling capacity customers needed.


### PARAMETERS:

Material	SUS304 and SUS316L				
Filling heads	4	6	8	10	12
Filling range	10-100ml/ 30-300ml/ 50-500ml/ 100-1000ml/ 250-2500mm/ 300-3000ml/ 500-5000ml (600-6000ml can be tailor made)				
Filling speed (bottles/ hour & based on 500ml bottle)	2000-2500	2500-3000	3000-3500	3500-4000	4000-4500
Filling precision	±0.5-1%				
Power	220/380V 50/60Hz 1.5Kw (Can be tailor made to suit different countries)				
Air pressure	0.4-0.6Mpa				
Machine size (L*W*H mm)	2000*900*2200	2400*900*2200	2800*900*2200	3200*900*2200	3500*900*2200
Weight	450Kg	500Kg	550Kg	600Kg	650Kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SF-W Automatic liquid weighing filling machine



### INTRODUCTION:


This liquid weighing and filling Machine is widely applied for filling liquid like engineer oil, lube oil, pesticide, disinfection, clean liquid in big barrel pail Jerry can and drum etc..

The filling volume can work from 1L-5L, 5L-30L and max 220L.


### PARAMETERS:

Material	SUS304 and SUS316L			
Filling heads	2	4	6	8
Suit to fill	Liquid like water or oil or semi-paste			
Filling range	1-5L/ 5-30L/ 30-200L			
Filling method	Gravity+ weighing filling			
Filling speed (Bottles/ hour, based on 5L)	600-800	1200-1400	1600-1800	2000-2200
Filling error	±5g (Based on 5L)			
Power	220/380V 50/60Hz 1.5Kw (Can be tailor made to suit different countries)			
Air pressure	0.6-0.8Mpa			
Weight	400Kg	500Kg	600Kg	700Kg
Machine size (L*W*H mm)	1800*1000*2200	2400*1000*2200	2800*1200*2200	3000*1200*2200

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products





## SF-GR Automatic gravity liquid filling machine



### INTRODUCTION:


The gravity filling machine is suitable to fill all kinds water based liquid: In food condiment and drinking industry, like soy sauce, vinegar, juice etc. In agricultural chemicals industry like liquid fertilizer, liquid pesticide and liquid insecticide etc. In pharmaceutical industry, like alcohol, iodine etc.

The filling heads is usually start from 10 heads, 12 heads to 20 heads, also can tailor made 6 heads and 8 heads.


### PARAMETERS:

Material	SUS304 and SUS316L					
Filling heads	10	12	14	16	18	20
Direction	From right to left or from left to right					
Suit filling volume	100-5000ml					
Filling precision	±1%					
Filling speed (Based on 500ml)	3000-3500 (bottles/hour)	3500-4000 (bottles/hour)	4000-4500 (bottles/hour)	4500-5000 (bottles/hour)	5000-5500 (bottles/hour)	5500-6000 (bottles/hour)
Air pressure	0.4-0.6Mpa					
Power	220/380V 50/60Hz 1.5Kw (Can be tailor-made to suit different countries)					
Machine size (L*W*H mm)	3000*900*2200	3200*900*2200	3400*900*2200	3600*900*2200	3800*900*2200	4000*900*2200
Weight	400Kg	450Kg	500Kg	550Kg	600Kg	650Kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SF-PE Automatic peristaltic pump liquid filling machine



### INTRODUCTION:

This is a peristaltic pump filling machine which is suitable for filling small volume bottles. It is commonly used in liquid and paste in tube, reagent testing tube, eye drop, e liquid, essential oil, pocket perfume, nail polish, pigment paint etc.


### PARAMETERS:

Material	SUS304 and SUS316L				
Filling heads	2	4	6	8	10
Suit to fill	Liquid like water or oil Semi paste like nail polish or pigment paint				
Filling range	1-30ml (30-100ml also ok, but speed slow)				
Filling method	Peristaltic pump				
Filling speed (Bottles/ hour, based on 10ml bottle)	2000-2500	2500-3000	3000-3500	3500-4000	4000-4500
Power	220/380V 50/60Hz 1.5Kw (Can be tailor made to suit different countries)				
Air pressure	0.6-0.8Mpa				
Weight	350kg	400kg	450kg	500kg	550kg
Machine size (L*W*H mm)	1500*1000*1700	1500*1000*1700	1800*1000*1700	1800*1000*1700	2000*1000*1700

### DETAILED IMAGES



SCAN TO LEARN MORE




Scan to see our machine working videos



Scan to view more about our products



## SF-GE Automatic gear pump liquid filling machine



### INTRODUCTION:

This is automatic gear pump (also called magnetic pump) filling machine. It is suitable to filling low viscosity water-based liquid or oil-based liquid, like perfume, essential oil, e liquid, medicine liquid, alcohol, facial toner, makeup remover etc. It also can fill low corrosive or little foamy liquid, like pesticide and insecticide etc.

### PARAMETERS:


Material	SUS304 and SUS316L				
Filling heads	4	6	8	10	12
Max flow speed	5500ml/min or 9000ml/min (Each nozzle and base on water)				
Filling speed (based on 100ml)	1000-1500 bottles/hour	1500-2000 bottles/hour	2000-2500 bottles/hour	2500-3000 bottles/hour	2500-3200 bottles/hour
Filling accuracy	$\leq 100\text{ml}$ accuracy $\leq \pm 1\text{ml}$ $> 100\text{ml}$ accuracy $\leq \pm 1\%$ (based on water)				
Suitable bottle height	$\phi 20$ -160mm H30-300mm				
Suitable bottle volume	3-1000ml				
Air pressure	0.3-0.4MPa				

Power	220V/ 380V 50/60Hz 2.0Kw				
Machine size	L1600-2500*W1000*H1400mm				
Weight	200kg	250kg	350kg	400kg	450kg

### DETAILED IMAGES



SCAN TO LEARN MORE




Scan to see our machine working videos



Scan to view more about our products



## SC-4 Automatic 4 wheels capping machine without cap vibrating sorter




### INTRODUCTION:

This machine is used to close all kinds of screw caps. People feed caps to bottle mouth by hand. Then 4 wheels move together to close the caps. It is widely used all kinds of bottles and caps with different materials in the pharmaceutical, pesticide, chemical, food, cosmetics and other industries.


### PARAMETERS:

Material	SUS304
Capacity	40-60 bottles/min (with relationship with people feed cap speed)
Bottle diameter	Φ 35-Φ 140 mm
Bottle height	38-350 mm
Cap diameter	Φ 25-Φ 70 mm
Power	3P AC 380V 50-60 Hz
Power consumption	1.2 KW
Machine size	L2000*W850*H1700 mm
Weight	250 kg

### DETAILED IMAGES



SCAN TO LEARN MORE




Scan to see our machine working videos



Scan to view more about our products



## SC-4 Automatic 4 wheels capping machine with cap vibrating sorter- cap picking & putting



### INTRODUCTION:

This machine is used to close all kinds of screw caps. It uses a cap vibrating sorter to feed caps to bottle mouth. Then 4 wheels move together to close the caps. It is widely used all kinds of bottles and caps with different materials in the pharmaceutical, pesticide, chemical, food, cosmetics and other industries.


### PARAMETERS:

Material	SUS304
Capacity	40-60 bottles/min (cap picking & putting) 50-80 bottles/min (cap pulling)
Bottle diameter	Φ 35-Φ 140mm
Bottle height	38-350 mm
Cap diameter	Φ 25-Φ 70mm
Power	3P AC 380V 50-60 Hz
Power consumption	1.2 KW
Machine size	L2000*W850*H1700 mm
Weight	250kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos




Scan to view more about our products




## SC-4 Automatic 4 wheels capping machine with cap vibrating sorter- cap pulling



### DETAILED IMAGES



SCAN TO LEARN MORE



### INTRODUCTION:

This machine is used to close all kinds of screw caps. It uses a cap vibrating sorter to feed caps to bottle mouth. Then 4 wheels move together to close the caps. It is widely used all kinds of bottles and caps with different materials in the pharmaceutical, pesticide, chemical, food, cosmetics and other industries.

### PARAMETERS:

Material	SUS304
Capacity	50-80 bottles/min (cap pulling) 40-60 bottles/min (cap picking & putting)
Bottle diameter	Φ 35-Φ 140mm
Bottle height	38-350 mm
Cap diameter	Φ 25-Φ 70mm
Power	3P AC 380V 50-60 Hz
Power consumption	1.2 KW
Machine size	L2000*W850*H1700mm
Weight	250kg



Scan to see our machine working videos




Scan to view more about our products




## SC-6 Automatic 6 wheels capping machine without cap elevator



### DETAILED IMAGES



SCAN TO LEARN MORE



### INTRODUCTION:

This machine is used to close all kinds of screw caps. People put caps to bottle mouth by hand. Then each side 3 wheels close the caps. It is widely used all kinds of bottles and caps with different materials in the pharmaceutical, pesticide, chemical, food, cosmetics and other industries.

### PARAMETERS:

Material	SUS304
Capacity	40-80 bottles/min (with relationship with people feed cap speed)
Bottle diameter	Φ 35-Φ 200mm
Bottle height	38-350 mm
Cap diameter	Φ 25-140Φ mm
Power	3P AC 380V 50-60 Hz
Power consumption	1.2 KW
Machine size	L2800*W850*H2000 mm
Weight	500kg



Scan to see our machine working videos



Scan to view more about our products



## SC-6 Automatic 6 wheels capping machine with cap elevator



### INTRODUCTION:

This machine is used to close all kinds of screw caps. It uses a cap elevator to feed caps to bottle mouth. Then each side 3 wheels close the caps. It is widely used all kinds of bottles and caps with different materials in the pharmaceutical, pesticide, chemical, food, cosmetics and other industries.


### PARAMETERS:

Material	SUS304
Capacity	60-120 bottles/min (cap pulling)
Bottle diameter	Φ 35-Φ 200mm
Bottle height	38-350 mm
Cap diameter	Φ 25-140Φ mm
Power	3P AC 380V 50-60 Hz
Power consumption	1.2 KW
Machine size	L2800*W850*H2000mm
Weight	500kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products








DETAILED IMAGES



SCAN TO LEARN MORE



INTRODUCTION:

This automatic twist off vacuum capping machine is suit to close all kinds glass jars and twist off caps in food industries, like honey, sauce, fruit jam, pickled vegetables etc. The working principle is rotating the jar glass with twist off cap into vacuum chamber. Then the machine closes the lid by pumping air inside to the vacuum chamber to make the inside pressure achieving the setted pressure.

PARAMETERS:

	4 heads	6 heads	8 heads
Material	SUS304		
Suit bottle size	Dia 45-85mm Height 38-190mm(could be customized to 135~260mm)		
Suit cap size	38-89mm		
Machine power	220V/50-60HZ 2.3Kw		
Capping speed	1500-2000 Jars/ hour	1500-2000 Jars/ hour	1500-2000 Jars/ hour
Capping torsion	5-20N.M		
Air consumption	0.6M3/0.7Mpa		
Machine size	L3000*W1800*H1800mm	L3200*W1800*H1800mm	L3600*W1800*H1800mm
Machine weight	800Kg	900Kg	1000Kg



Scan to see our machine working videos



Scan to view more about our products





**INTRODUCTION:**

This semi auto twist off vacuum capping machine is suit to close all kinds glass jars and twist off caps in food industries, like honey, sauce, fruit jam, pickled vegetables etc. The working principle is rotating the jar glass with twist off cap into vacuum chamber. Then the machine closes the lid by pumping air inside to the vacuum chamber to make the inside pressure achieving the setted pressure.


**PARAMETERS:**

Material	SUS304
Suit bottle size	Dia 45-85mm Height 38-190mm(could be customized to 135~260mm)
Suit cap size	38-89mm
Machine power	220V/50-60HZ 550W
Production speed	20-25 bottles /min
Pressure inside the bottle	≤67KPA
Machine size	600*600*1350 mm
Machine weight	250Kg

**DETAILED IMAGES**



**SCAN TO LEARN MORE**



Scan to see our machine working videos



Scan to view more about our products




## SF-PEm Automatic peristaltic pump liquid filling and capping machine



Weight	450Kg	500Kg	550Kg	600Kg
Machine size (L*W*H mm)	2000*1500*1700	2000*1500*1700	2400*1500*1700	2400*1500*1700

### DETAILED IMAGES



### INTRODUCTION:

This is a monoblock filling and capping machine (filling and capping machine together). All stations are working on a star wheel, which is suitable for small volume bottles. It is commonly used in tube, reagent testing tube, eye drop, e liquid, essential oil biologic liquid and some other small bottles and vials liquid filling inner cap pressing and outer cap closing in pharmaceutical and other industrial.

### PARAMETERS:

Item	1 filling head & 1 capping head	2 filling heads & 1 capping head	2 filling heads & 2 capping heads	4 filling heads & 2 capping heads
Filling range	1-30ml (30-100ml also ok)			
Cap type	All kinds screw caps/ press cap/ aluminum cap			
Filling method	Peristaltic pump			
Filling speed	About 3000 bottles/ hour		About 60 bottles/ hour	
Filling precision	±0.5-1%			
Yield of capping	≥99%			
Power	220/380V 50/60Hz 1.5Kw (Can be tailor made to suit different countries)			
Air pressure	0.6-0.8Mpa			



Scan to see our machine working videos



Scan to view more about our products



## SS-AE Automatic electromagnetic induction sealing machine



### INTRODUCTION:

The machine is equipped with automatic assembly line of aluminum foil sealing equipment, can automatically complete the bottle cap type pre-installed aluminum foil sealing, the bottle from the seal through the plate, the aluminum foil is heated and sealed with the bottle.


### PARAMETERS:

Material	SUS304
Capacity	40-60 bottles/minute
Bottle height	20-400 mm
Cap diameter	Φ 15-Φ 65mm
Power	3P AC 220V 50-60 Hz
Power consumption	2.1 KW
Machine size	L700*W800*H1250 mm
Weight	150KG

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SS-A Automatic aluminum foil sealing & cutting machine



### INTRODUCTION:

This wide-mouth bottle sealing machine is a new generation of self-sealing machine developed by my division in accordance with market demand. With the design of combining light, electricity and gas together, it has many advantages, compact structure, beautiful appearance, pretty and firm seal, high efficiency, easy operation and maintenance.

It is widely used in sealing a variety of plastic bottles with film and aluminum foil, such as food, pharmaceutical, chemical, cosmetics and other industries, especially suitable for sealing large-diameter polyester bottle and jars and paper cans. For example nut jar oat jar, potato chips can etc. The machine has these functions, moisture-proof, leak-proof, extending product shelf-life, as well as the role of anti-theft and anti-counterfeiting.

### PARAMETERS:


Sealing heads	1 head	2 heads
Sealing range	Φ30-Φ150mm	
Sealing temperature	50-300°C (adjustable)	

Sealing speed	1800-2000 bottles/hour (small bottle will quicker, big bottle will slower)	1800-2000 bottles/hour (small bottle will quicker, big bottle will slower)
Power	220V/ 50-60Hz 3600W	220V/ 50-60Hz 4000W
Air pressure	0.8Mpa	
Sealing caliber range	50-120mm	
Height of jar applied	75-250mm	
Controlling Form of Temperature and Deviation	Automatic; ±3°C	
Weight	About 300kg	About 400kg
Machine size	L 2000*W1000*H1800 mm	L 2400*W1000*H1800 mm

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SL-R Automatic round bottle labeling machine -Blue belt type



### INTRODUCTION:


This blue belt round bottle labeling machine is suitable for all kinds of round bottles/ jars/ cans, both plastic and glass. It is widely used in food drink daily chemical and pharmaceutical industrial etc.

### PARAMETERS:


Material	SUS 304
Driver	Step motor or servo motor
Direction	Left to right or Right to left
Suitable bottle size	Diameter: 10-150mm Height: 30-350mm
Suitable label size	Length: 10-350mm Width: 10-200mm
Labeling speed	80-200 bottles/ jars/ cans per min
Labeling precision	±0.5-1mm
Label core diameter	Standard 75mm
Label roll diameter	Max 350mm

Power	220V 50/60Hz 600W (Can be tailor made according to the power of other countries)
Machine size	2000*800*1700mm (L*W*H)
Weight	200Kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SL-F Automatic round bottle full circle labeling machine - Cylinder roller type



### INTRODUCTION:

This cylinder roller type round bottle labeling machine is suitable for all kinds of round bottles/ jars/ cans, both plastic and glass.



It is suit for long length label, which the label whole covers or near whole covers the bottle body, with highly labeling accuracy.

### PARAMETERS:


Material	SUS304
Driven	Step or servo motor
Direction	Right to left/ Left to right
Label core	Standard 75mm
Label roll	Max 350mm
Suit bottle size	Diameter: 10-150mm Height: 30-350mm
Suit Label size	Length: 10-3500mm Width: 10-200mm
Labeling speed	60-100 bottles/ jars/ cans/ min
Precision	±0.5-1mm

Power	220/380V 50/60Hz 350W (Can be tailor made to suit different countries)
Weight	200kg
Machine size	2000*850*1700mm(L*W*H)

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to see our machine working videos



Scan to view more about our products




## SL-Fex Automatic EX-proof round bottle labeling machine - Cylinder roller type



### DETAILED IMAGES



SCAN TO LEARN MORE



### INTRODUCTION:

This cylinder roller type round bottle labeling machine is suitable for labeling all kinds of round bottles/ jars/ cans, both plastic and glass. We make it with EX grade, which is suitable for all kinds inflammable & explosive product like alcohol, paint etc.

We use explosion proof motors on the machine. And put all electrical parts on EX-proof cabinet.

### PARAMETERS:

Material	SUS304
Driven	Step or servo motor
Direction	Right to left/ Left to right
Label core	Standard 75mm
Label roll	Max 350mm
Suit bottle size	Diameter: 10-150mm Height: 30-350mm
Suit Label size	Length: 10-3500mm Width: 10-200mm
Labeling speed	60-100 bottles/ jars/ cans/ min
Precision	±0.5-1mm
Power	220/380V 50/60Hz 350W (Can be tailor made to suit different countries)
Weight	200kg
Machine size	2000*850*1700mm(L*W*H)



Scan to see our machine working videos



Scan to view more about our products





## SL-H Automatic horizontal round bottle labeling machine



### INTRODUCTION:



This machine is another kind of round bottle labeling machine---horizontal round bottle labeling machine. It is mainly used to label cylinder or small conical products which unable to be carried vertically on conveyor, such as tube, ampoule bottles, pens, mark pen, lip stick, nail polish, water injection vials, Freezing tube, blood collection tube, sausage etc.

### PARAMETERS:


Material	SUS 304
Driven	Step motor or servo motor
Direction	Left to right or Right to left
Suitable product size	Diameter: 10-16mm 16-26mm 26-36mm Height: 10-100mm 100-200mm 200-300mm
Suitable label size	Length: 15-200 mm Width: 15-200 mm
Labeling speed	100-250 pcs/min (relate to product and label size)

Labeling precision	±0.5-1mm
Label core diameter	Standard 75mm
Label roll diameter	Max 350mm
Power	220V 50/60Hz 600W (Can be tailor made according to the power of other countries)
Machine size	2000*800*1700mm (L*W*H)
Weight	200Kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products






Label core diameter	Standard 75mm
Label roll diameter	Max 350mm
Power	220V 50/60Hz 750W (Can be tailor made according to the power of other countries)
Machine size	2000*900*1700mm (L*W*H)
Weight	200Kg

**DETAILED IMAGES**



**SCAN TO LEARN MORE**



**INTRODUCTION:**

This labeling machine is made for label two surfaces of the product with 1 sticker, for example jar top sticker with a tail, and small carton or box to seal the carton open place. The advantage is high accuracy, no wrinkle no bubble, make object very nice. It is applicable for various round, square bottles, boxes, jars, cans, and other flat objects like stationery, CD disc, carton, box, fruit and vegetal meat trays bags etc.

**PARAMETERS:**

Material	SUS 304
Driver	Step motor or servo motor
Direction	Left to right or Right to left
Suitable product size	Length 30-300mm Height 20-200mm
Suitable label size	Length 15-200 mm Width 15-200 mm
Labeling speed	60-150 pcs/min (relate to product and label size)
Labeling precision	±0.5-1mm



Scan to see our machine working videos



Scan to view more about our products



## SL-Tm Automatic top side labeling machine without conveyor



### INTRODUCTION:

This labeling machine is made for label top and flat surface of product with 1 sticker. The advantage is high accuracy, no wrinkle no bubble, make object very nice. It is applicable for various round, square bottles, boxes, jars, cans, and other flat objects like stationery, CD disc, carton, box, fruit and vegetal meat trays bags etc.

This machine do not install with conveyor, so can install the labeling machine on the already existing conveyor which customers have.


### PARAMETERS:

Material	SUS 304
Driver	Step motor or servo motor
Direction	Left to right or Right to left
Suitable product size	Length 30-300mm Height 20-200mm
Labeling speed	60-150 pcs/min (relate to product and label size)
Labeling precision	±0.5-1mm
Label core diameter	Standard 75mm
Label roll diameter	Max 350mm
Power	220V 50/60Hz 750W (Can be tailor made according to the power of other countries)
Machine size	2000*900*1700 mm (L*W*H)
Weight	200Kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products





**INTRODUCTION:**

This labeling machine is made for label top and flat surface of product with 1 sticker. The advantage is using robot hand to suck the sticker then stick to object top surface.


It is applicable for various round, square bottles, boxes, jars, cans, and other flat objects like stationery, CD disc, carton, box, fruit and vegetal meat trays bags etc.

**PARAMETERS:**

Material	SUS 304
Driver	Step motor or servo motor
Direction	Left to right or Right to left
Suitable product size	Length 30-300mm Height 20-200mm
Suitable label size	Length 15-200 mm Width 15-200 mm

Labeling speed	60-150 pcs/min (relate to product and label size)
Labeling precision	±0.5-1mm
Label core diameter	Standard 75mm
Label roll diameter	Max 350mm
Power	220V 50/60Hz 750W (Can be tailor made according to the power of other countries)
Machine size	2000*900*1700mm (L*W*H)
Weight	200Kg

**DETAILED IMAGES**



**SCAN TO LEARN MORE**



Scan to see our machine working videos



Scan to view more about our products



## SL-FT Automatic pouch paging and top labeling machine



### INTRODUCTION:

This machine is suitable working for the empty plastic Bags /Pouches /cards /papers/ empty cartons boxes in pharmaceutical, pesticide, food & chemical industries.

It is a multi-functional labeling machine with two functions: automatic feeding (separating) to conveyor, and automatic top labeling.

### PARAMETERS:


Material	SUS 304
Driver	Step motor or servo motor
Direction	Left to right or Right to left
Suitable product size	Length: 30-300mm Height: 20-200mm
Suitable label size	Length: 15-200 mm Width: 15-200 mm
Labeling speed	60-150 pcs/min (relate to product and label size)

Labeling precision	±0.5-1mm
Label core diameter	Standard 75mm
Label roll diameter	Max 350mm
Power	220V 50/60Hz 750W (Can be tailor made according to the power of other countries)
Machine size	2000*900*1700mm (L*W*H)
Weight	200Kg

### DETAILED IMAGES



SCAN TO LEARN MORE




Scan to see our machine working videos



Scan to view more about our products



## SL-TB Automatic top and bottom 3 sides labeling machine





### INTRODUCTION:

This machine adopts three labeling heads: two labeling heads on top and another labeling heads on bottom, which can label three labels at the same time on objects top and bottom two sides. It is applicable for various round, square bottles, boxes, jars, cans, and other flat objects like stationery, CD disc, carton, box, fruit and vegetal meat trays etc.


### PARAMETERS:

Material	SUS 304
Driver	Step motor or servo motor
Direction	Left to right or Right to left
Suitable product size	Length: 30-300mm Height: 20-200mm
Suitable label size	Length 15-200 mm Width 15-200 mm
Labeling speed	60-150 pcs/min (relate to product and label size)
Labeling precision	±0.5-1mm
Label core diameter	Standard 75mm
Label roll diameter	Max 350mm
Power	220V 50/60Hz 750W (Can be tailor made according to the power of other countries)
Machine size	2400*900*1700mm (L*W*H)
Weight	350Kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products






DETAILED IMAGES



SCAN TO LEARN MORE



INTRODUCTION:

This labeling machine is special-made for labeling square, flat or round bottle with two labels: front and back. Machine also be added with a round bottle unit, to label round bottle with 1 sticker.

PARAMETERS:

Direction	Right to left/ Left to right
Label core	Standard 75mm
Label roll	Max 300mm
Bottle size	Diameter: 20-150mm Height: 30-350mm
Label size	Length: 10-480mm Width: 20-200mm
Speed	60-120 Bottles/min (According to bottle and label size)
Precision	±1mm
Power	220/380V 50/60Hz 1000W
Weight	450kg
Machine size	2800*1000*1530mm (L*W*H)



Scan to see our machine working videos




Scan to view more about our products






**DETAILED IMAGES**



**SCAN TO LEARN MORE**



Scan to see our machine working videos



Scan to view more about our products



**INTRODUCTION:**

This labeling machine is special-made for labeling square, flat or round bottle with two labels: front and back. Machine also be added with a round bottle unit, to label round bottle with 1 sticker.




**PARAMETERS:**

Direction	Right to left/ Left to right
Label core	Standard 75mm
Label roll	Max 300mm
Bottle size	Diameter: 20-150mm Height: 30-350mm
Label size	Length: 10-480mm Width: 20-200mm
Speed	60-120 Bottles/min (According to bottle and label size)
Precision	±1mm
Power	220/380V 50/60Hz 1000W
Weight	500kg
Machine size	2800*1500*1530mm (L*W*H)






DETAILED IMAGES



SCAN TO LEARN MORE



INTRODUCTION:

This labeling machine is special-made machine, with total 2 labeling heads: one labeling heads on the top, another labeling head on the side. It can label box or jar or can with 2 stickers, one sticker on the top, another sticker on the side.

For top sticker, it also label sticker with tail.

Also, can match the logos on the top sticker and on the side sticker.

PARAMETERS:

Material	SUS304
Direction	Right to left/ Left to right
Label core	Standard 75mm
Label roll	Max 300mm
Bottle size	Diameter: 20-150mm Height: 30-350mm
Label size	Length: 10-480mm Width: 20-200mm
Speed	60-120 PCS/min (According to box or tray and label size)
Precision	±1mm
Power	220/380V 50/60Hz 1000W
Weight	500kg
Machine size	2400*1000*1700mm (L*W*H)



Scan to see our machine working videos




Scan to view more about our products




## SL-SN Automatic bottle side & bottle neck labeling machine



### DETAILED IMAGES



SCAN TO LEARN MORE



### INTRODUCTION:

This labeling machine is special-made with 2 labeling heads for labeling square, flat or round wine brandy whisky bottle with two labels: front label & neck label. Machine also be added with one more labeling heads, so can label, bottle front and bottle back and bottle neck with 3 labels.

### PARAMETERS:

Direction	Right to left/ Left to right
Label core	Standard 75mm
Label roll	Max 300mm
Bottle size	Diameter: 20-150mm Height: 30-350mm
Label size	Length: 10-480mm Width: 20-200mm
Speed	60-120 Bottles/min (According to bottle and label size)
Precision	±1mm
Power	220/380V 50/60Hz 1000W
Weight	500kg
Machine size	2800*1500*1730mm (L*W*H)




Scan to see our machine working videos





Scan to view more about our products




## SL-DT Automatic front & back plus top 3 sides labeling machine



### DETAILED IMAGES



SCAN TO LEARN MORE



### INTRODUCTION:

This labeling machine is special-made for labeling, flat or round bottle or square bottle or box with three labels: front and back plus top, total 3 stickers.

Machine also be added with a round bottle unit, to label round bottle with 1 sticker.

### PARAMETERS:

Direction	Right to left/ Left to right
Label core	Standard 75mm
Label roll	Max 300mm
Bottle size	Diameter: 20-150mm Height: 30-350mm
Label size	Length: 10-480mm Width: 20-200mm
Speed	60-120 Bottles/min (According to bottle and label size)
Precision	±1mm
Power	220/380V 50/60Hz 1200W
Weight	600kg
Machine size	3000*1500*1650mm(L*W*H)



Scan to see our machine working videos



Scan to view more about our products



## SL-Rcab Automatic round bottle labeling machine with Cab printing system



### INTRODUCTION:

This blue belt round bottle labeling machine is suitable for all kinds of round bottles/ jars/ cans, both plastic and glass. It is widely used in food drink daily chemical and pharmaceutical industrial etc. The printing machine is from Germany cab, with high quality and good performance. It can print letters, simple pictures, batch no, QR code etc.

### PARAMETERS:


Material	SUS304	
Driven	Step motor or servo motor	
Direction	Right to left	
Label core	Standard 40mm	
Label roll	Max 300mm	
Suit bag/pouch size	Diameter: 10-150mm Height: 30-350mm	
Suit Label size	Length: 10-350mm Width: 10-200mm (More big can tailor-made)	
Printing size	Width max 106mm, length can set	Width max 160mm, length can set
Printing range	Letters/ simple pic/ bar code/ QR code etc	
Printing color	Simple color (if black, all black, if red all red. Can not mix color)	
Printing & labeling speed	80-200 bottles/ jars/ cans per min	

Precision	±1mm
Power	220/380V 50/60Hz 1000W
Weight	About 200kg
Machine size	2000*800*1700mm (L*W*H)

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SL-Hcab Automatic horizontal round bottle labeling machine with Cab printing system



### INTRODUCTION:

This machine horizontal round bottle labeling machine plus with Germany cba printing system. It is mainly used to label cylinder or small conical products which unable to be carried vertically on conveyor, such as tube, ampoule bottles, pens, mark pen, lip stick, nail polish, water injection vials, Freezing tube, blood collection tube, sausage etc.


The printing machine is from Germany cab, with high quality and good performance. It can print letters, simple pictures, batch no, QR code etc.

### PARAMETERS:


Material	SUS304
Driven	Step motor or servo motor
Direction	Right to left
Label core	40mm
Label roll	Max 300mm
Product size	Length: 40-280mm Width: 40-200mm Height: 0.2-3mm (More big can tailor-made)

Suit label size	Length: 10-250mm Width: 20-130mm (More big can tailor-made)	
Printing size	Width max 106mm, length can set	Width max 160mm, length can set
Printing range	Letters/ simple pic/ bar code/ QR code etc	
Printing color	Simple color (if black, all black, if red all red. Can not mix color)	
Printing & labeling speed	Step: 100-200 pcs/min	Servo: 120-250 pcs/ min
Precision	±0.5-1mm	
Power	220/380V 50/60Hz 1000W	
Weight	About 200kg	
Machine size	2000*900*1800mm (L*W*H)	

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SL-Tcab Automatic top side labeling machine with Cab printing system



### INTRODUCTION:

This is a tailor- made machine, which suit for label tray or box or cartoon top with 1 or 2 stickers . It is widely used in food industries, like meat, vegetable, fruit and egg box tray etc. The printing machine is from Germany cab, with high quality and good performance. It can print letters, simple pictures, batch no, QR code etc.

### PARAMETERS:


Material	SUS304	
Driven	Step motor or servo motor	
Direction	Right to left	
Label core	Standard 40mm	
Label roll	Max 300mm	
Suit product size	Length: 40-280mm Width: 40-200mm Height: 0.2-3mm (More big can tailor-made)	
Suit label size	Length: 10-250mm Width: 20-130mm (More big can tailor-made)	
Printing range	Width max 106mm, length can set	Width max 160mm, length can set
Printing range	Letters/ simple pic/ bar code/ QR code etc	
Printing color	Simple color (if black, all black, if red all red. Can not mix color)	

Printing & labeling speed	Step: 50-100 pcs/min Servo: 80-150 pcs/ min
Precision	±1mm
Power	220/380V 50/60Hz 1000W
Weight	About 500kg
Machine size	3200*900*1800mm (L*W*H)

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SL-Tmcab Automatic top side labeling machine with Cab printing system no conveyor

### INTRODUCTION:

This is a tailor-made machine, which suit for label tray or box or cartoon or bag or pouch top with stickers. It is widely used in food industries, like meat, beef, fish, vegetable, fruit and egg box tray etc. The printing machine is from Germany cab, with high quality and good performance. It can print letters, simple pictures, batch no, QR code etc.


This machine do not install with conveyor, so can install the labeling machine on the already existing conveyor which customers have.




### PARAMETERS:

Material	SUS304	
Driven	Step motor or servo motor	
Direction	Right to left	
Label core	Standard 40mm	
Label roll	Max 300mm	
Suit bag/pouch size	Length: 40-280mm Width: 40-200mm Height: 0.2-3mm (More big can tailor-made)	
Suit Label size	Length: 10-250mm Width: 20-130mm (More big can tailor-made)	
Printing size	Width max 106mm, length can set	Width max 160mm, length can set
Printing range	Letters/ simple pic/ bar code/ QR code etc	
Printing color	Simple color (if black, all black, if red all red. Can not mix color)	
Printing & labeling speed	Step: 50-100 pcs/min Servo: 80-150 pcs/ min	
Precision	± 1mm	
Power	220/380V 50/60Hz 1000W	
Weight	About 300kg	
Machine size	2400*900*1600mm (L*W*H)	

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products



## SL-FTcab Automatic bag feeding & top sides labeling machine with Cab printing system



### INTRODUCTION:

This machine is suitable working for the plastic Bags /Pouches /cards /papers in pharmaceutical, pesticide, food & chemical industries. It is a multi-functional labeling machine with three functions: automatic feeding (separating), automatic sticker printing and automatic top labeling. The printing machine is from Germany cab, with high quality and good performance. It can print letters, simple pictures, batch no, QR code etc.

### PARAMETERS:


Material	SUS304	
Driven	Step motor or servo motor	
Direction	Right to left	
Label core	Standard 40mm	
Label roll	Max 300mm	
Suit bag/pouch size	Length: 40-280mm Width: 40-200mm Height: 0.2-3mm (More big can tailor-made)	
Suit label size	Length: 10-250mm Width: 20-130mm (More big can tailor-made)	
Printing size	Width max 106mm, length can set	Width max 160mm, length can set
Printing range	Letters/ simple pic/ bar code/ QR code etc	
Printing color	Simple color (if black, all black, if red all red. Can not mix color)	

Printing & labeling speed	Step: 50-100 pcs/min Servo: 80-150 pcs/min
Precision	±1mm
Power	220/380V 50/60Hz 1000W
Weight	About 300kg
Machine size	2400*900*1600mm (L*W*H)

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos



Scan to view more about our products





## SL-Tcab2 Automatic top side labeling machine with Cab printing system



Precision	±1mm
Power	220/380V 50/60Hz 1000W
Weight	About 500kg
Machine size	3200*900*1800mm (L*W*H)

### DETAILED IMAGES




### INTRODUCTION:

This is a tailor- made machine, which suit for label tray or box or cartoon top with 1 or 2 stickers . It is widely used in food industries, like meat, vegetable, fruit and egg box tray etc. The printing machine is from Germany cab, with high quality and good performance. It can print letters, simple pictures, batch no, QR code etc.

### PARAMETERS:

Material	SUS304	
Driven	Step motor or servo motor	
Direction	Right to left	
Label core	Standard 40mm	
Label roll	Max 300mm	
Suit product size	Length: 40-280mm Width: 40-200mm Height: 0.2-3mm (More big can tailor-made)	
Suit label size	Length: 10-250mm Width: 20-130mm (More big can tailor-made)	
Printing range	Width max 106mm, length can set	Width max 160mm, length can set
Printing range	Letters/ simple pic/ bar code/ Qr code etc	
Printing color	Simple color (if black, all black, if red all red. Can not mix color)	
Printing & labeling speed	Step: 50-100 pcs/min Servo: 80-150 pcs/ min	

SCAN TO LEARN MORE



Scan to see our machine working videos




Scan to view more about our products






**DETAILED IMAGES**



**SCAN TO LEARN MORE**



**INTRODUCTION:**

This inkjet printer is widely used in the food industry, cosmetics industry, pharmaceutical industry, automotive and other parts processing industry, wire and cable industry, aluminum-plastic pipe industry, tobacco and alcohol industry and other fields. It can be used for printing production date, batch number, strip type Code and trademark pattern, anti-counterfeiting mark, etc.

**PARAMETERS:**

Material	SUS304
Power supply	220V, 50/60HZ 150VA
Rows	Lines 1-4
Character height	5-32mm
Printing speed	180m/min
Printing direction	360°
Print content	Date, time, batch number
Printing material	Paper, plastic, metal, glass, food bag
Machine size	370*265*555 mm
Machine weight	40kg



Scan to see our machine working videos



Scan to view more about our products



## ST-R Round collecting table




### INTRODUCTION:

Bottle collecting table is used at the end of filling line to collect finished bottles, cans, jars. It can work for all kinds different shape bottles, like round, square flat etc.


### PARAMETERS:

Diameter	800mm	1000mm	1200mm	1500mm
Material	SUS304			
Suitable bottle volume	5-3000ml			
Suitable bottle diameter	10-250mm			
Collecting speed	60-120 bottles/min (Speed adjustable, also with relationship of bottle size)			
Power	220/380V 50/60Hz 0.1Kw (also can customized made)			
Dimension	L1000*W1000* H1000mm	L1200*W1200* H1000mm	L1400*W1400* H1000mm	L1700*W1700* H1000mm
Weight	100Kg	120Kg	150Kg	200Kg

### DETAILED IMAGES



SCAN TO LEARN MORE



Scan to see our machine working videos




Scan to view more about our products



## ST-S Square collecting table



### DETAILED IMAGES



### INTRODUCTION:


Bottle collecting table is used at the end of filling line to collect finished bottles, cans, jars. It can work for all kinds different shape bottles, like round, square flat etc. Compared with round collecting table, this square table can put cartons on the table and people pack bottles into cartons manually.

### PARAMETERS:

Table size	1200*600mm	1500*800mm
Material	SUS304	
Suitable bottle volume	5-3000ml	
Suitable bottle diameter	10-250mm	
Collecting speed	60-120 bottles/min (Speed adjustable, also with relationship of bottle size)	
Power	220/380V 50/60Hz 0.1Kw (also can customized made)	
Dimension	L1240*W600*H850mm	L1560*W800*H850mm
Weight	120Kg	150Kg

Note: Other sizes can be tailor made

SCAN TO LEARN MORE








Scan to see our machine working videos




Scan to view more about our products





Total length 22.4m, Max width 2.82m, Max height 2.2m



Scan to see our machine working videos



Scan to view more about our products

